



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/071,860	02/08/2002	Thomas Bolt	Q02-1033-US1	1415

7590 07/05/2005

ROBERT A. SALTZBERG
MORRISON & FOERSTER LLP
425 MARKET STREET
SAN FRANCISCO, CA 94105

EXAMINER

BUTLER, DENNIS

ART UNIT	PAPER NUMBER
2115	

DATE MAILED: 07/05/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/071,860

Applicant(s)

BOLT, THOMAS

Examiner

Dennis M. Butler

Art Unit

2115

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 April 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-34 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-34 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

1. This action is in response to amendment received on April 18, 2005. Claims 1-34 are pending. Claims 33 and 34 have been added.
2. The text of those sections of Title 35, US Code not included in this action can be found in a prior Office Action.
3. Claims 33 and 34 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 33, the phrase "the USB controller" lacks proper antecedent basis.

Claim 34 is rejected because it incorporates the deficiencies of claim 33.

4. Claims 1, 4, 6-8, 17, 19, 21-25, 27, 29-32 are rejected under 35 U.S.C. 102(e) as being anticipated by Stryker et al., U. S. Patent 6,460,099.

Per claim 1:

A) Stryker et al teach the following claimed items:

1. connecting three or more devices to an IDE bus (channel) with figures 1, 2A and 2B, at column 3, lines 7-35 and at column 4, lines 8-10;
2. configuring each device as Cable Select at column 4, lines 28-48;
3. a device controller that selectively activates at most two of the devices at the same time for data communication over the IDE bus with the controlling logic of figures 2A and 2B, at column 4, lines 28-48 and at column 5, line 49 – column 6, line 24.

Per claims 4 and 6-8:

Stryker describes deactivating the remaining devices at column 4, lines 40-45.

Stryker describes selecting each device via a selection signal (CSEL) comprising the cable select line at column 4, lines 28-48. Stryker describes that at least one of the devices is a disk drive with disk drive 30 of figure 1 and at column 3, lines 7-14.

Per claims 17 and 25:

A) Stryker et al teach the following claimed items:

1. an IDE interface system (ATA system) having three or more devices (ATA mass storage devices) connected to an IDE bus (ATA channel) with figures 1 and 2A, at column 3, lines 7-35 and at column 4, lines 8-10;
2. a device controller for receiving device control signals to select at least one of the devices for data communication with the processor (Host Processor System 50) with the controlling (decoding, detecting and isolation) logic of figure 2A, with figures 5A and 5B, at column 4, lines 28-48 and at column 5, line 49 – column 6, line 24;
3. the device controller selectively activating at most two of the devices at the same time for data communication with the controlling logic of figure 2A, with figures 5A and 5B, at column 4, lines 28-48 and at column 5, lines 49–57.

Per claims 19, 21-24, 27 and 29-32:

Stryker describes deactivating the remaining devices at column 4, lines 40-45.

Stryker describes selecting each device via a selection signal (CSEL) comprising the cable select line at column 4, lines 28-48. Stryker describes an interface

Art Unit: 2115

controller connected to the devices via the IDE bus (ATA channel) that manages information flow between the processor and the devices over the IDE bus with figures 2A, 5A and 5B, at column 4, lines 8-27 and at column 7, lines 17-43.

Stryker describes that at least one of the devices is a disk drive with disk drive 30 of figure 1 and at column 3, lines 7-14.

5. Claims 2-3, 5, 18, 20, 26 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Stryker et al., U. S. Patent 6,460,099 in view of Chong, Jr., U. S. Patent 6,697,867.

Per claims 2-3, 18 and 26:

The claims seem to differ from Stryker in that Stryker fails to explicitly teach identifying and selecting devices as master and slave devices and activating the selected devices for communication with the processor as claimed. However, Chong, Jr. describes that CPU 12 accesses the ATA devices via the ATA host adapter by executing instructions of ATA driver software 22 with figure 3 and at column 5, lines 61-67. Chong describes that one or two devices are identified for data communication with the group access signal and with the value stored in control register 26 with figure 4 and at column 9, lines 36-49. Chong describes receiving device control signals to select one or two of the devices for data communication with the processor (CPU 12) with ATA Host Adapter 16 of figure 1 and at column 6, lines 1-11, selecting one of the devices as a master device and the second device as a slave device and activating at most two of the devices at the same time for data communication with the processor at column 6,

Art Unit: 2115

lines 12-65. Chong, Jr. describes deactivating (deasserting) non-selected devices at column 6, lines 44-53. Chong, Jr. describes a selection signal for each of the two devices with the CS signals that correspond to each of the devices at column 6, lines 12-65. It would have been obvious to one having ordinary skill in the art at the time the invention was made to identify and select devices as master and slave devices and activate the selected devices for communication with the processor, as taught by Chong, Jr., in order to allow access to both a master drive and a slave drive and increase the amount of storage allowed to be accessed at the same time. One of ordinary skill in the art would have been motivated to combine Stryker and Chong, Jr. because of Chong, Jr.'s suggestion of providing plural master/slave groups at column 1, lines 26-28 and at column 2, lines 7-46. It would have been obvious for one of ordinary skill in the art to combine Chong, Jr. and Stryker because they are both directed to the problem of increasing the ATA/IDE connection capabilities by allowing more than two devices to be connected and accessible over a single ATA interface and ATA bus.

Per claims 5, 20 and 28:

The claims seem to differ from Stryker in that Stryker fails to explicitly teach activating the selected devices by powering the devices on and deactivating the remaining devices by powering them off as claimed. Stryker describes four methods of activating and deactivating ATA devices including using the CSEL line, intercepting the DRV/HD command and using Q-switches. Chong, Jr.

describes activating and deactivating ATA devices using group access signals, a control register, routing logic and chip select signals. Neither Stryker nor Chong, Jr. describe activating/deactivating the devices by powering the devices on/off. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to activate the selected devices by powering the devices on and deactivate the remaining devices by powering them off because it is well known and inherent that ATA devices cannot be active when they are powered off and using the device power inputs for activating and deactivating the devices would reduce the power consumption of the ATA/IDE system.

6. Claims 17-19, 21, 23-27, 29 and 31-32 are rejected under 35 U.S.C. 102(e) as being anticipated by Chong, Jr., U. S. Patent 6,697,867.

Per claims 17 and 25:

A) Chong, Jr. teaches the following claimed items:

1. an IDE interface system (ATA system) having three or more devices (ATA Devices 20A-D) connected to an IDE bus (ATA channel) with figure 1, at column 1, lines 13-25 and at column 5, lines 13-44;
2. a device controller for receiving device control signals to select at least one of the devices for data communication with the processor (CPU 12) with ATA Host Adapter 16 of figure 1 and at column 6, lines 1-11;
3. the device controller selectively activating at most two of the devices at the same time for data communication with the processor at column 6, lines 12-65.

Per claims 18-19, 21, 23-24, 26-27, 29 and 31-32:

Art Unit: 2115

Chong, Jr. describes receiving device control signals to select one or two of the devices for data communication with the processor (CPU 12) with ATA Host Adapter 16 of figure 1 and at column 6, lines 1-11, selecting one of the devices as a master device and the second device as a slave device and activating at most two of the devices at the same time for data communication with the processor at column 6, lines 12-65. Chong, Jr. describes deactivating (deasserting) non-selected devices at column 6, lines 44-53. Chong, Jr. describes a selection signal for each of the two devices with the CS signals that correspond to each of the devices at column 6, lines 12-65. Chong, Jr. describes an interface controller connected to devices via the IDE bus for managing information flow between the processor and the devices with figure 1, at column 1, lines 13-25 and at column 5, lines 13-44. Chong, Jr. describes that at least one device is a disk drive at column 5, lines 59-67.

7. Claims 9-12 and 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chong, Jr., U. S. Patent 6,697,867 in view of Chu et al., U.S. Patent 6,725,385.

Per claims 9-11:

A) Chong, Jr. teaches the following claimed items:

1. an IDE system (ATA system) having three or more devices (ATA Devices 20A-D) connected to an IDE bus (ATA channel) with figure 1, at column 1, lines 13-25 and at column 5, lines 13-44;

Art Unit: 2115

2. identifying devices, selecting one of the devices as a master device and a second device as a slave device at column 6, lines 1-65,

3. activating at most two of the selected devices at the same time for data communication with the processor at column 6, lines 12-65.

B) The claim seems to differ from Chong, Jr. in that Chong, Jr. fails to explicitly describe deactivating all of the devices as claimed.

C) However, Chong, Jr. describes activating a device group using a group access signal and deactivating the remaining groups with corresponding group access signals at column 2, lines 25-34. Therefore, Chong, Jr. discloses the claimed invention except for explicitly reciting that all of the devices are deactivated. Chu et al teach that it is known to deactivate all ATA devices connected to an ATA/IDE bus with figures 1 through 3, at column 1, lines 13-53, at column 2, lines 12-30 and at column 3, lines 45-67. In addition, Chu describes that deactivating all devices is a design choice based on a trade-off between energy consumption and response time of the devices at column 1, lines 13-19. It would have been obvious to one having ordinary skill in the art at the time the invention was made to deactivate all of the devices, as taught by Chu, in order to reduce the energy consumption of the devices connected to the IDE/ATA bus. One of ordinary skill in the art would have been motivated to combine Chong, Jr. and Chu because of Chu's suggestion that deactivating all devices connected to an ATA/IDE bus would reduce energy consumption of the system at column 1, lines 36-53 and at column 2, lines 54-65. It would have been obvious for one of

Art Unit: 2115

ordinary skill in the art to combine Chong, Jr. and Chu because they are both directed to the problem of activating and deactivating ATA/IDE devices connected to an ATA bus. Furthermore, Chong, Jr. describes activating a device group based on a corresponding group access signal received from the host over the ATA interface at column 2, lines 15-18 and 25-34 and Chu describes providing monitoring logic that activates a device based on a predetermined communication signal over the ATA interface at column 2, lines 23-30. Therefore, the ATA power control features of Chu can be readily incorporated into the ATA interface of Chong, Jr.

Per claims 12 and 16:

Chong, Jr. describes connecting three or more devices to the IDE bus (ATA channel) at column 5, lines 36-44. Chong, Jr. describes that at least one device is a disk drive at column 5, lines 59-67.

Per claim 15:

Chu describes deactivating each device by powering them off and activating each selected device by powering them on with figure 2 and at column 6, lines 21-65.

8. Claims 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chong, Jr., U. S. Patent 6,697,867 in view of Chu et al., U.S. Patent 6,725,385 and further in view of Stryker et al., U. S. Patent 6,460,099.

Per claims 13 and 14:

The claim seems to differ from Chong, Jr. in view of Chu in that Chong, Jr. in view of Chu fails to explicitly describe configuring each device as cable select, selecting the first device as a master via the cable select signal and selecting the second device as slave via the cable select signal as claimed. Stryker teaches configuring each device as Cable Select at column 4, lines 28-48. Stryker describes configuring/selecting each device as a master (device 0) or a slave (device 1) with figures 5A and 5B, at column 3, lines 25-28, at column 4, lines 28-48 and at column 7, lines 17-43. It would have been obvious to one having ordinary skill in the art at the time the invention was made to configure each device as cable select, select the first device as a master via the cable select signal and select the second device as slave via the cable select signal, as taught by Stryker, in order to dynamically select a first device as the master device and a second device as a slave device. One of ordinary skill in the art would have been motivated to combine Stryker and Chong, Jr. because of Chong, Jr.'s suggestion of providing plural master/slave groups at column 1, lines 26-28 and at column 2, lines 7-46. It would have been obvious for one of ordinary skill in the art to combine Chong, Jr. and Stryker because they are both directed to the problem of increasing the ATA/IDE connection capabilities by allowing more than two devices to be connected and accessible over a single ATA interface and ATA bus.

Art Unit: 2115

9. Claims 20, 22, 28 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chong, Jr., U. S. Patent 6,697,867 in view of Stryker et al., U. S. Patent 6,460,099.

Per claims 20 and 28:

The claims seem to differ from Chong, Jr. in that Chong, Jr. fails to explicitly teach activating the selected devices by powering the devices on and deactivating the remaining devices by powering them off as claimed. Stryker describes four methods of activating and deactivating ATA devices including using the CSEL line, intercepting the DRV/HD command and using Q-switches. Chong, Jr. describes activating and deactivating ATA devices using group access signals, a control register, routing logic and chip select signals. Neither Stryker nor Chong, Jr. describe activating/deactivating the devices by powering the devices on/off. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to activate the selected devices by powering the devices on and deactivate the remaining devices by powering them off because it is well known and inherent that ATA devices cannot be active when they are powered off and using the device power inputs for activating and deactivating the devices would reduce the power consumption of the ATA/IDE system. One of ordinary skill in the art would have been motivated to combine Stryker and Chong, Jr. because of Chong, Jr.'s suggestion of providing plural master/slave groups at column 1, lines 26-28 and at column 2, lines 7-46. It would have been obvious for one of ordinary skill in the art to combine Chong, Jr.

Art Unit: 2115

and Stryker because they are both directed to the problem of increasing the ATA/IDE connection capabilities by allowing more than two devices to be connected and accessible over a single ATA interface and ATA bus.

Per claims 22 and 30:

Stryker describes selecting each device via a selection signal (CSEL) comprising the cable select line at column 4, lines 28-48.

10. Claims 33 and 34 rejected under 35 U.S.C. 103(a) as being unpatentable over Chong, Jr., U. S. Patent 6,697,867, in view of Lau et al., U. S. Patent 6,772,212.

Per claims 33 and 34:

Chong teaches the elements of claim 25 as described in the above rejection of claim 25. Chong describes selectively activating the devices for data communication as described in the above rejection of claim 25. The claims seem to differ from Chong in that Chong fails to explicitly teach a USB to IDE controller connected between the IDE bus and the processor as claimed. Lau teaches that USB to IDE interface controllers such as the OnSpec 90C36 were known and available on the market at the time of applicant's invention at column 5, lines 26-47. In addition, Lau teaches connecting a USB to IDE controller between the IDE bus (IDE connector 152 and associated lines to element 154) and the processor (computer) with figures 2 and 3 and at column 5, lines 16-47. It would have been obvious to one having ordinary skill in the art at the time the invention was made to connect a USB to IDE controller between the IDE bus and the processor, as taught by Lau, in order to access IDT/ATA devices via a USB interface. One of

ordinary skill in the art would have been motivated to combine Chong and Lau because of Lau's description that USB to IDE interface controllers such as the OnSpec 90C36 were well known in the IDE/ATA interface art, were available on the market and were used to interface IDE/ATA devices to USB ports at the time of applicant's invention. It would have been obvious for one of ordinary skill in the art to combine Chong and Lau because they are both directed to the problem of interfacing IDE/ATA devices to computer systems and Lau's teaching would allow Chong's ATA devices to be connected to CPU 12 using a USB port/interface.

11. Applicant's arguments filed on April 18, 2005 have been fully considered but they are not persuasive.

In the Remarks, applicant has argued in substance that:

A. Stryker does not disclose a device controller that selectively activates at most two or a maximum of two devices at the same time for data communication over the IDE bus. Stryker discloses selection of only one device for data communication over the IDE bus.

B. Stryker does not disclose that a device driver as claimed is capable of receiving device control signals to select at least one of the devices for data communication with the processor.

C. Stryker does not disclose an interface controller connected to the devices via the IDE bus wherein the interface controller manages information flow between the processor and the devices over the IDE bus.

D. Chong does not disclose identifying one or two devices for data communication with the processor. There are only two ATA devices in either 21A or 21B. Therefore, there is no need or disclosure in Chong for a step of identifying.

E. Chong does not disclose a device controller that selectively activates at most two or a maximum of two devices at the same time for data communication over the IDE bus.

F. There is no suggestion or motivation in either Stryker or Chong for combining them. The prior art itself must have an explicit teaching or suggestion to motivate one of ordinary skill to combine elements.

G. There is no disclosure, suggestion or motivation in either Stryker or Chong of activating devices by powering them on and deactivating them by powering them off.

H. Chu does not mention or suggest connecting three or more IDE devices to an IDE bus. Chu is directed to a power controller that controls power consumption of a device. Chu has nothing to do with the present invention and is non-analogous art.

I. There is no suggestion or motivation in either Chong or Chu for combining them. The prior art itself must have an explicit teaching or suggestion to motivate one of ordinary skill to combine elements.

Art Unit: 2115

J. There is no suggestion or motivation in either Stryker, Chong or Chu for combining them. The prior art itself must have an explicit teaching or suggestion to motivate one of ordinary skill to combine elements.

12. As to point A, the examiner disagrees with applicant's contentions that Stryker does not disclose a device controller that selectively activates at most two or a maximum of two devices at the same time for data communication over the IDE bus. As described in detail in the art rejection, Stryker describes selectively activating at most two or a maximum of two devices at the same time for data communication over the IDE bus (channel) with the controlling logic of figures 2A and 2B at column 4, lines 28-48 and at column 5, line 49 – column 6, line 24. Stryker describes interfacing and accessing greater than two ATA devices on a single channel ATA interface at column 4, lines 8-10. Stryker describes selecting and activating one device of the devices for data communication over the IDE bus by setting the CSEL signal to zero at column 4, lines 34-45. Stryker clearly teaches activating one of the devices by setting the CSEL signal to zero and deactivating the remaining devices by setting their CSEL signals to one. As to at most two or a maximum of two devices, Stryker teaches activating one of greater than two devices which teaches the invention to the extent claimed.

As to point B, in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., a device driver capable of receiving device control signals) are not recited in the rejected claim(s). Although the claims are interpreted in light of the

specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

As to point C, the examiner disagrees with applicant's contentions that Stryker does not disclose an interface controller connected to the devices via the IDE bus wherein the interface controller manages information flow between the processor and the devices over the IDE bus. Stryker describes his invention is directed to an ATA mass storage interface that is capable of interfacing greater than two ATA devices to a single ATA channel at column 4, lines 8-10. Stryker teaches interfacing using a combination of hardware (Decoding Logic 54) and software (device driver). In addition, the ATA interface standard provides interface circuitry that manages information flow between the processor and ATA devices over the IDE bus as described at column 3, lines 22-28. Figure 2A clearly shows an ATA interface having an ATA channel connected to a host processor for communication/information flow between the processor and the device currently activated by the decoding logic. Stryker describes that the operating system accesses each of the mass storage devices as an independent device and the device driver performs the necessary interface between the operating system and the mass storage devices at column 4, lines 13-25. The operating system is executed by the processor and manages the operations of the processor. Therefore, interfacing to the operating system is interfacing to the processor. Stryker describes the device driver interface procedure that manages information flow between the processor and the devices over the IDE bus along with the ATA interface with figures 5A and 5B and at column 7, lines 26-43. Stryker clearly describes an interface

controller connected to the devices via the IDE bus wherein the interface controller manages information flow between the processor and the devices over the IDE bus.

As to point D, the examiner disagrees with applicant's contentions that Chong does not disclose identifying one or two devices for data communication with the processor, that there are only two ATA devices in either 21A or 21B and that there is no need or disclosure in Chong for a step of identifying. As described in detail in the above art rejection, Chong describes interfacing more than two ATA devices to the same ATA channel by coupling multiple groups of devices to the channel at column 1, line 61 – column 2, line 18. Chong describes that the groups of devices may be master/slave pairs or a single device at column 3, lines 1-10. Chong describes providing routing logic in the form of a 1-to-p demultiplexer coupled to a control register to route an access signal from the host system to the selected group dependent on the value stored in the control register at column 2, lines 53-58. Chong describes that CPU 12 accesses the ATA devices via the ATA host adapter by executing instructions of ATA driver software 22 with figure 3 and at column 5, lines 61-67. Chong describes that one or two devices are identified for data communication with the group access signal and with the value stored in control register 26 with figure 4 and at column 9, lines 36-49. The examiner disagrees with applicant's statement that there are only two ATA devices in either 21A or 21B and therefore, there is no need or disclosure in Chong for a step of identifying. As previously described in both the art rejection and the above arguments, Chong describes interfacing more than two ATA devices to the same ATA channel by coupling multiple groups of devices to the channel at column 1, line 61 – column 2, line 18, with

Art Unit: 2115

figure 1, at column 2, lines 53-58 and at column 3, lines 1-10. Chong's entire disclosure is directed to coupling more than two devices to a single ATA interface channel.

Applicant's statements are a refusal to acknowledge the teachings of the prior art rather than a failure of Chong to disclose coupling more than two devices to a single ATA channel and identifying and selecting one or two of the devices for data communication.

As to point E, the examiner disagrees with applicant's contentions that Chong does not disclose a device controller that selectively activates at most two or a maximum of two devices at the same time for data communication over the IDE bus. Chong describes ATA Host Adapter selectively activating at most two devices using the CS0 and CS1 signals based on the contents of the control register at column 6, lines 12-43. Chong describes deactivating the remaining devices using the CS0 and CS1 signals based on the contents of the control register at column 6, lines 44-53. The activated devices are able to communicate over the ATA channel as an ATA master/slave pair while the deactivated devices are not active for communication.

As to point F, the examiner disagrees with applicant's contentions that there is no suggestion or motivation in either Stryker or Chong for combining them and that the prior art itself must have an explicit teaching or suggestion to motivate one of ordinary skill to combine elements. One of ordinary skill in the art would have been motivated to combine Stryker and Chong, Jr. because of Chong, Jr.'s suggestion of providing plural master/slave groups at column 1, lines 26-28 and at column 2, lines 7-46. It would have been obvious to one of ordinary skill in the art that the combination would dramatically increase both the amount of storage allowed to be accessed at the same time and also

Art Unit: 2115

the total amount of storage of Stryker's system. It would have been obvious for one of ordinary skill in the art to combine Chong, Jr. and Stryker because they are both directed to the problem of increasing the ATA/IDE connection capabilities by allowing more than two devices to be connected and accessible over a single ATA interface and ATA bus. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case based on Chong, Jr.'s suggestion of providing plural master/slave groups, it would have been obvious to one of ordinary skill in the art that the combination would dramatically increase both the amount of storage allowed to be accessed at the same time and also the total amount of storage of Stryker's system. The normal desire of scientists or artisans to improve upon what is already generally known provides the motivation to determine where in a disclosed set of percentage ranges is the optimum combination of percentages. In re Peterson (1/8/03). The examiner disagrees with applicant's contention that the prior art itself must have an **explicit** teaching or suggestion to motivate one of ordinary skill to combine elements. Applicant seems to argue that the skill level of one of ordinary skill in the art is so low that one of ordinary skill in the art would not be capable of combining elements of two related references unless they were explicitly told how to combine the

Art Unit: 2115

elements. The examiner disagrees that the skill level of one of ordinary skill in the art is so low. In addition, the above case law does not support applicant's contention.

As to point G, the examiner disagrees with applicant's contentions that there is no suggestion or motivation in either Stryker or Chong of activating devices by powering them on and deactivating them by powering them off. There is clear suggestion and motivation for activating devices by powering them on and deactivating them by powering them off in both Stryker and Chong. Stryker describes four methods of activating and deactivating ATA devices including using the CSEL line, intercepting the DRV/HD command and using Q-switches. Chong, Jr. describes activating and deactivating ATA devices using group access signals, a control register, routing logic and chip select signals. Therefore, both references describe how to couple more than two devices to a single ATA channel by activating one or two devices at the same time for communication over the channel. Both references teach that the solution to coupling more than two devices to a single ATA channel is to activate one or two devices at the same time while deactivating the remaining devices. Both references describe a plurality of ways to activate and deactivate the devices. Therefore, both references teach that there are a plurality of ways to implement the disclosed solution of activating and deactivating devices for communication. It would have been obvious to one having ordinary skill in the art at the time the invention was made to activate the selected devices by powering the devices on and deactivate the remaining devices by powering them off because it is well known and inherent that ATA devices cannot be active when they are powered off and using the device power inputs for activating and deactivating

Art Unit: 2115

the devices would reduce the power consumption of the ATA/IDE system. There is clear suggestion and motivation for activating devices by powering them on and deactivating them by powering them off in both Stryker and Chong.

As to point H, the examiner disagrees with applicant's contentions that Chu does not mention or suggest connecting three or more IDE devices to an IDE bus. Chu is directed to a power controller that controls power consumption of a device. Chu has nothing to do with the present invention and is non-analogous art. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). As to Chu being non-analogous art, the examiner disagrees with applicant's contention, Chu is clearly analogous. Applicant's claims recite deactivating all IDE devices connected to an IDE bus. Applicant's specification describes that logic device 16 includes power control circuitry used to control the power to each IDE device as well as activate and deactivate devices at paragraphs 19, 28 and 29. Chu describes the details of implementing power control in an IDE/ATA device including monitoring signals, deactivating all devices, activating devices and described the trade-off between energy consumption and response time. Chu teaches the power control aspects of the claimed invention. Therefore, Chu is analogous art. Chu describes controlling the power to IDE/ATA devices by placing them in a reduced power state so that they are not active or able to communicate data over the ATA bus and activating (powering) a device upon detecting

Art Unit: 2115

that a host is communicating with the device. The claimed invention is clearly obvious in view of the combination of the references.

As to point I, the examiner disagrees with applicant's contentions that there is no suggestion or motivation in either Chong or Chu for combining them. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case Chu's suggestion that deactivating all devices connected to an ATA/IDE bus would reduce energy consumption of the system as well as deactivate devices not selected for communication. The normal desire of scientists or artisans to improve upon what is already generally known provides the motivation to determine where in a disclosed set of percentage ranges is the optimum combination of percentages. *In re Peterson* (1/8/03). One of ordinary skill in the art would have been motivated to combine Chong, Jr. and Chu because of Chu's suggestion that deactivating all devices connected to an ATA/IDE bus would reduce energy consumption of the system at column 1, lines 36-53 and at column 2, lines 54-65. It would have been obvious for one of ordinary skill in the art to combine Chong, Jr. and Chu because they are both directed to the problem of activating and deactivating ATA/IDE devices connected to an ATA bus. Furthermore,

Art Unit: 2115

Chong, Jr. describes activating a device group based on a corresponding group access signal received from the host over the ATA interface at column 2, lines 15-18 and 25-34 and Chu describes providing monitoring logic that activates a device based on a predetermined communication signal over the ATA interface at column 2, lines 23-30. Therefore, the ATA power control features of Chu can be readily incorporated into the ATA interface of Chong, Jr.

As to point J, the examiner disagrees with applicant's contentions that there is no suggestion or motivation in either Stryker, Chong or Chu for combining them. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case the combination would allow the system to dynamically select a first device as the master device and a second device as a slave device. The normal desire of scientists or artisans to improve upon what is already generally known provides the motivation to determine where in a disclosed set of percentage ranges is the optimum combination of percentages. In *re Peterson* (1/8/03). In addition, the arguments presented in points F and J are incorporated by reference.

13. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis M. Butler whose telephone number is 571-272-3663. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should

Art Unit: 2115

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in cursive script that reads "Dennis M. Butler".

Dennis M. Butler
Primary Examiner
Art Unit 2115